



F/G. 2


USER	PACKET NO.	MODULATION PARAMETER	PACKET DATA			
	P11	16QAM	• • •			
USER 1	P12	4QAM(QPSK) ~	•••			
	•••		•••			
USER 2	P21		•••			
	P22		•••			
	•••		•••			
: <u> </u>	i ,	<b>:</b> .	:			




F/G. 4




## F/G. 5



F/G. 6




F/G. 7




8/23

#### FIG. 8




9/23


#### FIG. 9



F/G. 10




#### FIG. 11



12/23


## F/G. 12




F/G. 13

C1	C2	C3	C4	<b>C</b> 5	C6	C7	0	0	•••
+	+	• • •							
D1	D2	D3	0	0	D4	D1	D2	D3	
×	×								
1/2	1/2	1/2	1	1	1/2	1/2	1	1	
	[]	•••						· · · · · · ·	
B1 (b)	B2 (b)	B3 (b)	B4 (b)	B5 (b)	B6 (b)	B7 (b)	B8 (b)	B9 (b)	•••


FIG. 14 PRIOR ART




## FIG. 15 PRIOR ART




## FIG. 16 PRIOR ART



# FIG. 17 PRIOR ART



# FIG. 18 PRIOR ART



F/G. 19

SIGNAL RD STORED IN BUFFER

PUNCTURED CODE PATTERN

SIGNAL AFTER PUNCTURED DECODING






FIG. 20 PRIOR ART




19/23

## FIG. 21 PRIOR ART




20/23

# FIG. 22 PRIOR ART



21/23

# FIG. 23A PRIOR ART



#### PUNCTURED DECODING


B1	B2	В3	B4	B5	B6	В7	B8	В9	B 10	B 11	B 12	B 13	B 14	B 15	B 16	B 17	B 18
C1	C2	C3	C4	C5	C6	C7	0	0	0	0	0	0	0	0	C8	0	0

## FIG. 23B PRIOR ART

C1	C2	C3	C4	 0	0	C8	0	0
	+			-				
B1 (b)	B2 (b)	B3 (b)	B4 (b)	 B14 (b)	B15 (b)	B16 (b)	B17 (b)	B18 (b)

22/23

#### FIG. 24A PRIOR ART



# FIG. 24B PRIOR ART

D3 |

D4

D5

D6

C8 D7

D8

C7

D1

D2

C6

B1


C1

C2

C3

C4

C5



# FIG. 25 PRIOR ART

